SAFETY DATA SHEET



Revision Date 08-May-2018

Version 2.01

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Arc Yellow™ Pigment

Product code T-16

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Pigment

Restrictions on use No information available

1.3 Details of the supplier of the safety data sheet

Supplier DayGlo Color Corp.

4515 St. Clair Avenue Cleveland, OH 44103 (216) 391-7070

+1 216-391-7070 (outside the US) This telephone number is available during office hours

only.

E-mail Address ehs@dayglo.com

1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA

Chemtrec: 1-800-424-9300 USA

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

2.2 Label elements

This product is not classified.

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

T-16 - Arc Yellow™ Pigment Revision Date 08-May-2018

3. Composition/Information on Ingredients

Substance

Mixture

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS No.	Weight-%
Triethanolamine	102-71-6	< 1

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice No information available.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Skin contact Immediate medical attention is not required. Wash off with soap and water.

Inhalation Immediate medical attention is not required. Move to fresh air.

Ingestion Do NOT induce vomiting. Drink plenty of water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None.

5.2 Special hazards arising from the substance or mixture

Special Hazard

None known based on information supplied.

Hazardous Combustion Products Carbon oxides. Nitrogen oxides (NOx). Oxides of sulfur.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition

source is a potential dust explosion hazard.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full

protective gear.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas. Use personal protective equipment.

6.2 Environmental precautions

Dust deposits should not be allowed to accumulate on surfaces as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., cleaning dusty surfaces with compressed air). Nonsparking tools should be used. Prevent product from entering drains. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment Prevent dust cloud. Cover powder spill with plastic sheet or tarp to minimize spreading.

Methods for cleaning up

Avoid dust formation. Take precautionary measures against static discharges. Do not dry

sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Use personal protective equipment. Take up mechanically and collect in suitable container for disposal. Prevent product from entering drains. Keep in suitable and closed containers for

disposal.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Avoid dust formation. Take precautionary measures against static discharges. Fine dust

dispersed in air may ignite. Wear personal protective equipment.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep tightly closed in a dry and cool place.

Materials to Avoid No materials to be especially mentioned.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Triethanolamine	TWA: 5 mg/m ³	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 0.5 ppm
102-71-6						TWA: 3.1 mg/m ³

8.2 Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Skin and body protection Wear chemical resistant footwear and clothing such as gloves, an apron or a whole body

suit as appropriate.

Respiratory protection . NIOSH/MSHA approved respiratory protection should be worn if exposure is anticipated.

Hygiene measures See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical stateSolidAppearancePowderColorYellow-orange

Odor Pungent Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

pН

Not Applicable

Melting/freezing point

Boiling point/boiling range
Flash Point
Evaporation rate
Not applicable
Not Applicable
Not Applicable

Flammability (solid, gas) Flammability Limits in Air

upper flammability limit lower flammability limit

Vapor pressure Not Applicable

Vapor density

Specific Gravity 1.37

Water solubility

Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Viscosity, kinematic

Viscosity, kinematic Viscosity, dynamic ----

Insoluble in water

No information available No information available

No information available No information available

No information available

No information available

No information available

No information available

No information available

No information available

Explosive properties Fine dust dispersed in air may ignite

Oxidizing Properties

No information available

9.2 Other information

Volatile organic compounds (VOC) None

content

10. Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use

.

10.2 Chemical stability

Stable

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

Dust formation. Take precautionary measures against static discharges.

10.5 Incompatible Materials

None known based on information supplied.

T-16 - Arc Yellow™ Pigment Revision Date 08-May-2018

10.6 Hazardous Decomposition Products

None known based on information supplied.

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

LD50 Oral:	LD50 Dermal:
> 16,000 mg/kg (rat)	> 23,000 mg/kg (rat)

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Triethanolamine	4190 mg/kg (Rat)	> 20 mL/kg (Rabbit)	-
102-71-6			

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information

May cause irritation

Component Information

· No information available

Serious eye damage/eye irritation

Product Information

· May cause irritation

Component Information

· No information available

Respiratory or skin sensitization

Product Information

May cause respiratory irritation

Component Information

No information available

Germ cell mutagenicity

Product Information

• No information available

Component Information

· No information available

Carcinogenicity

Product Information

• This product contains <0.1% free formaldehyde and may be capable of outgassing formaldehyde at levels in excess of OSHA's Action Level under some conditions of use. Formaldehyde is a known cancer hazard. Long term exposure may result in dermatitis or respiratory sensitization for sensitive individuals.

Component Information

Reproductive toxicity

Product Information

- No information available
- Component Information
- No information available

Revision Date 08-May-2018

STOT - single exposure

No information available

STOT - repeated exposure

· No known effect

Other adverse effects

Product Information

- No information available
- <u>Component Information</u>
 No information available

Aspiration hazard

Product Information

- No information available
- **Component Information**
- · No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity

No information available

< 1 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Ecotoxicity effects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Triethanolamine	EC50: 72 h Desmodesmus	LC50: 96 h Pimephales promelas	-
102-71-6	subspicatus 216 mg/L EC50: 96 h	10600 - 13000 mg/L flow-through	
	Desmodesmus subspicatus 169	LC50: 96 h Pimephales promelas	
	mg/L	1000 mg/L static LC50: 96 h	
		Lepomis macrochirus 450 - 1000	
		mg/L static	

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

2 iounal go into the children macros are as		
Chemical Name	log Pow	
Triethanolamine	-2.53	
102-71-6		

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1 Waste treatment methods

Dispose of in accordance with federal, state, and local regulations.

08-May-2018 - T-16 - 2.01 - AGHS - English -

14. Transport Information

DOTNot regulatedMEXNot regulatedIMDGNot regulatedIATANot regulated

15. Regulatory information

15.1 International Inventories

TSCA Complies
DSL Complies
EINECS/ELINCS Complies

ENCS -

IECSCCompliesKECLCompliesPICCSCompliesAICSComplies

NZIoC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Formaldehyde - 50-00-0	Carcinogen
C.I. Basic Violet 10 - 81-88-9	Carcinogen

16. Other information

NFPA Health Hazard 0 Flammability -Instability -Physical and chemical hazards -

HMIS Health Hazard 1 Flammability 1 Physical Hazard 0 Personal protection X

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Prepared By DayGlo Color Corp.

Regulatory Affairs/Product Safety

08-May-2018

Revision Date Revision Note

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet