

1. Identification

Product Information.	AIT118
Product Name:	White Dispersion
Recommended Use.	Coloring agent
Uses advised against.	No information available
Supplier.	DayGlo Color Corp. 4515 St. Clair Avenue Cleveland, OH 44102 (216) 391-7070 +1 216-391-7070 (outside the US)
Emergency telephone number.	Chemtrec: +1-800-424-9300 USA Chemtrec: +1 703-527-3887 ex-USA 24 hrs./day, 7 days/week

2. Hazards Identification

GHS Classification in accordance with 29 CFR 1910.1200

Carcinogenicity, category 1A
Reproductive Toxicity, category 2

GHS Pictograms



Signal Word

Danger

Unknown Acute Toxicity

8.5% of the mixture consists of ingredient(s) of unknown acute toxicity

HAZARD STATEMENTS

May cause cancer.

Suspected of damaging fertility or the unborn child.

Precautionary Statements - Prevention.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves, protective clothing, eye protection, face protection

Precautionary Statements - Response.

If exposed or concerned: Get medical advice/attention.

Precautionary Statements - Storage.

Store locked up.

Precautionary Statements - Disposal.

Dispose of contents in accordance with local, regional, national, international regulations.

3. Composition/Information on Ingredients

<u>Chemical Name</u>	<u>CAS-No.</u>	<u>Wt. %</u>
Titanium Dioxide	13463-67-7	25-50
Talc	14807-96-6	10-25
Propylene glycol	57-55-6	2.5-10
Zirconium Dioxide	1314-23-4	1.0-2.5
Aluminium Hydroxide	21645-51-2	1.0-2.5
Trimethylolpropane	77-99-6	0.1-1.0
Crystalline silica (Quartz) (Respirable)	14808-60-7	0.1-1.0

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid Measures

Description of first-aid measures.

General advice.

No Information

Inhalation.

Move to fresh air. If symptoms persist, call a physician.

Skin contact.

Wash off immediately with plenty of water for at least 15 minutes. Consult a physician if necessary.

Eye contact.

Keep eye wide open while rinsing. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If symptoms persist, call a physician.

Ingestion.

Do NOT induce vomiting. Drink plenty of water. Consult a physician.

Symptoms.

See Section 2 and Section 11, Toxicological effects for description of potential symptoms.

Notes to physician.

Treat symptomatically.

5. Fire-fighting Measures

Extinguishing media.

Suitable extinguishing media.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which shall not be used for safety reasons.

None.

Special hazards arising from the substance or mixture.

Carbon oxides. Nitrogen oxides (NO_x).

Advice for firefighters.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures.

Personal precautions.

Use personal protective equipment. Ensure adequate ventilation, especially in confined areas.

Advice for emergency responders.

No Information

Environmental precautions.

Prevent product from entering drains. See Section 12 for additional Ecological information.

Methods and materials for containment and cleaning up.

Methods for Containment.

Dike to collect large liquid spills. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Soak up with inert absorbent material. Keep in suitable and closed containers for disposal.

Methods for cleaning up.

No Information

Reference to other sections.

See section 8 for more information.

7. Handling and Storage

Conditions for safe storage, including any incompatibilities.

Advice on safe handling.

No Information

Hygiene measures.

See section 7 for more information. When using, do not eat, drink or smoke. Handle in accordance with good industrial hygiene and safety practice.

Storage Conditions.

Keep tightly closed in a dry and cool place. Keep from freezing.

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

<u>Chemical Name</u>	<u>ACGIH TLV-TWA</u>	<u>ACGIH-TLV STEL</u>	<u>OSHA PEL-TWA</u>	<u>OSHA PEL-CEILING</u>
Titanium Dioxide	0.2 mg/m ³	N.E.	15 mg/m ³	N.E.
Talc	2 mg/m ³	N.E.	N.E.	N.E.
Crystalline silica (Quartz) (Respirable)	0.025 mg/m ³	N.E.	50 µg/m ³	N.E.

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

Engineering Measures.

Showers, eyewash stations, and ventilation systems.

Personal protective equipment.

Eye/Face Protection.

Safety glasses with side-shields.

Skin and body protection.

Wear chemical resistant footwear and clothing such as gloves, an apron or a whole body suit as appropriate.

Respiratory protection.

NIOSH/MSHA approved respiratory protection should be worn if exposure is anticipated.

9. Physical and chemical properties.

Information on basic physical and chemical properties.

Physical state	Liquid
Appearance	Liquid
Color	White
Odor	Mild
Odor Threshold	No Information
pH	No Information
Melting/freezing point., °C (°F)	No Information
Flash Point., °C (°F)	>94 (>201.20)
Boiling point/boiling range., °C (°F)	100 (212)
Evaporation rate	No Information Available
Explosive properties.	No Information
Vapor pressure.	No Information

Vapor density.	No Information
Specific Gravity. (g/cm ³)	2.010
Water solubility.	Not Applicable
Partition coefficient.	No Information
Autoignition temperature., °C	No Information
Decomposition Temperature °C.	No Information
Viscosity, kinematic.	No Information

Other information.

Volatile organic compounds (VOC) content.	122 g/l
Density, lb/gal	No Information

10. Stability and Reactivity

Reactivity.

No dangerous reaction known under conditions of normal use.

Chemical stability.

Stable.

Possibility of hazardous reactions.

None known based on information supplied.

Conditions to Avoid.

Extremes of temperature and direct sunlight.

Incompatible Materials.

None under normal processing. No materials to be especially mentioned.

Hazardous Decomposition Products.

None known.

11. Toxicological Information

Information on toxicological effects.**Acute toxicity.****Product Information**

No Information

Component Information.

CAS-No.	Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
13463-67-7	Titanium Dioxide	10010 mg/kg	N.I.	5.09 mg/L Rat (Dust)
57-55-6	Propylene glycol	20000 mg/kg Rat	20800 mg/kg Rabbit	N.I.
77-99-6	Trimethylolpropane	14100 mg/kg Rat	>10000 mg/kg Rabbit	N.I.

N.I. = No Information

Skin corrosion/irritation.

May cause irritation.

Eye damage/irritation.

May cause eye irritation.

Respiratory or skin sensitization.

No Information

Ingestion.

No Information

Germ cell mutagenicity.

No Information

Carcinogenicity.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>IARC</u>	<u>NTP</u>	<u>OSHA</u>
13463-67-7	Titanium Dioxide	IARC Group 2B	-	-
14807-96-6	Talc	IARC Group 3	-	-
14808-60-7	Crystalline silica (Quartz) (Respirable)	IARC Group 1	NTP Known Human Carcinogen	-

Reproductive toxicity.

May damage fertility or the unborn child.

Specific target organ systemic toxicity (single exposure).

No Information

Specific target organ systemic toxicity (repeated exposure).

No Information

Aspiration hazard.

No Information

Primary Route(s) of Entry

No Information

12. Ecological Information

Toxicity.

47.73% of the mixture consists of ingredient(s) of unknown aquatic toxicity

Ecotoxicity effects.

<u>Chemical Name</u>	<u>Toxicity to algae</u>	<u>Toxicity to fish</u>	<u>Toxicity to daphnia and other aquatic invertebrates</u>
Talc 14807-96-6	-	LC50 96 h Brachydanio rerio >100 g/L	-
Propylene glycol 57-55-6	EC50 96 h Pseudokirchneriella subcapitata 19000 mg/L	LC50 96 h Oncorhynchus mykiss 51600 mg/L, LC50 96 h Oncorhynchus mykiss 41 - 47 mL/L, LC50 96 h Pimephales promelas 51400 mg/L, LC50 96 h Pimephales promelas 710 mg/L	EC50 48 h Daphnia magna >1000 mg/L
Zirconium Dioxide 1314-23-4	-	LC50 96 h Danio rerio >100 mg/L	-

Persistence and degradability.

No data are available on the product itself.

Bioaccumulative potential.

Discharge into the environment must be avoided.

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>log POW</u>
57-55-6	Propylene glycol	-1.07

Mobility in soil.

No information

Other adverse effects.

No information

13. Disposal Considerations

Waste Disposal Guidance.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT

Shipping Name: Not Regulated

IMDG

Proper Shipping Name: Not Regulated

IATA

Proper Shipping Name: Not Regulated

15. Regulatory Information

International Inventories:

TSCA	Complies
DSL	Complies
DSL/NDSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	Complies
KECI	-
PICCS	-
AIIC	-
NZIoC	-

TCSI

TSCA	United States Toxic Substances Control Act Section 8(b) Inventory.
DSL	Canadian Domestic Substances List.
DSL/NDSL	Canadian Domestic Substances List/Canadian Non-Domestic Substances List
EINECS/ELINCS	European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.
ENCS	Japan Existing and New Chemical Substances.
IECSC	China Inventory of Existing Chemical Substances.
KECL	Korean Existing and Evaluated Chemical Substances.
PICCS	Philippines Inventory of Chemicals and Chemical Substances.
AIIC	Australian Inventory of Chemical Substances.
NZIoC	New Zealand Inventory of Chemicals.
TCSI	Taiwan Chemical Substance Inventory

U.S. Federal Regulations:

SARA SECTION 313:

This product does not contain any chemicals that are subject to the reporting requirements of SARA 313.

TOXIC SUBSTANCES CONTROL ACT 12(b):

This product does not contain any chemicals that are subject to the reporting requirements of TSCA 12(b).

ADDITIONAL INFORMATION

Additional Information - Sxn 15: No Information

CALIFORNIA PROPOSITION 65 CARCINOGENS



WARNING

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:

<u>Chemical Name</u>	<u>CAS-No.</u>
Titanium Dioxide	13463-67-7
Crystalline silica (Quartz) (Respirable)	14808-60-7
Magnesium Aluminum Silicate	12174-11-7

CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS

No Proposition 65 Reproductive Toxins exist in this product.

NOTICE

Constituents of this product may include crystalline silica which, if inhalable, may cause silicosis, a form of progressive pulmonary fibrosis. Inhalable crystalline silica is listed by IARC as a group I carcinogen (lung) based on sufficient evidence in occupationally exposed humans and sufficient evidence in animals. Crystalline silica is also listed by the NTP as a known human carcinogen. Constituents may also contain asbestiform or non-asbestiform tremolite or other silicates as impurities, and above de minimis exposure to these impurities in inhalable form may be carcinogenic or cause other serious lung problems.

16. Other Information

Revision Date: 6/13/2023 **Supersedes Date:** New SDS
Reason for revision: No Information
Datasheet produced by: Regulatory Department

HMIS Ratings:

Health:	1*	Flammability:	1	Physical Hazard:	0	Personal Protection:	X
----------------	----	----------------------	---	-------------------------	---	-----------------------------	---

NFPA Ratings:

Health:	N.I.	Flammability:	N.I.	Instability:	N.I.	Physical & Chemical:	N.I.
----------------	------	----------------------	------	---------------------	------	---------------------------------	------

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.