SAFETY DATA SHEET



Revision Date 26-Aug-2016

Version 4

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Zydeco Pantone® 803 Yellow Base

Product code ZYB-803

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Ink Base

Restrictions on use No information available

1.3 Details of the supplier of the safety data sheet

Supplier DayGlo Color Corp.

4515 St. Clair Avenue Cleveland, OH 44103 (216) 391-7070

+1 216-391-7070 (outside the US) This telephone number is available during office hours

only.

E-mail Address ehs@dayglo.com

1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA

Chemtrec: 1-800-424-9300 USA

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3 - (H335)

2.2 Label elements

Signal Word

Warning

Hazard Statements

Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
May cause respiratory irritation



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area Wear protective gloves/clothing and eye/face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

Unknown Acute Toxicity

< 1% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients

Substance

<u>Mixture</u>

Chemical Name	CAS-No	Weight %
Tripropylene glycol diacrylate	42978-66-5	20 - 30
Ethoxylated trimethylolpropane triacrylate	28961-43-5	20 - 30
Talc	14807-96-6	1 - 5

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice No information available.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Seek

immediate medical attention/advice.

Skin contact Wash off immediately with soap and plenty of water. Remove all contaminated clothes and

shoes. Call a physician immediately.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None.

5.2 Special hazards arising from the substance or mixture

Special Hazard

None known based on information supplied

Hazardous Combustion Products Carbon oxides. Nitrogen oxides (NOx).

Explosion Data

Sensitivity to Mechanical Impact None. **Sensitivity to Static Discharge** None.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas. Use personal protective equipment.

6.2 Environmental precautions

Prevent product from entering drains. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment Dike to collect large liquid spills. Absorb with earth, sand or other non-combustible material

and transfer to containers for later disposal.

Methods for cleaning up Soak up with inert absorbent material. Keep in suitable and closed containers for disposal.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Prevent contact with skin, eyes and clothing. Wash thoroughly after handling.

Hygiene measures When using, do not eat, drink or smoke. Handle in accordance with good industrial hygiene

and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep at temperatures below .?°C. Protect from light.

Materials to Avoid No materials to be especially mentioned.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Talc	TWA: 2 mg/m ³	TWA: 20 mppcf if	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 3 mg/m ³	TWA: 2 mg/m ³
14807-96-6	particulate matter	1% Quartz or more,				
	containing no	use Quartz limit				
	asbestos and <1%					
	crystalline silica,					
	respirable fraction					

8.2 Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear chemical-resistant glasses and/or goggles and a face shield when eye and face

contact is possible due to handling and processing of material.

Skin and body protection Wear chemical resistant footwear and clothing such as gloves, an apron or a whole body

suit as appropriate.

Respiratory protection . NIOSH/MSHA approved respiratory protection should be worn if exposure is anticipated.

Hygiene measures See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid **Appearance** Liquid Yellow Color Odor Acrylates

No information available **Odor Threshold**

Remarks • Methods **Property** Values

No information available pН

Melting/freezing point No information available

Boiling point/boiling range > 94 °C / 201 °F **Flash Point** > 94 °C / > 201 °F

No information available **Evaporation rate** Flammability (solid, gas) No information available

Flammability Limits in Air

No information available upper flammability limit lower flammability limit No information available Vapor pressure No information available No information available

Vapor density

Specific Gravity 1.18

Water solubility Insoluble in water

No information available Solubility in other solvents **Partition coefficient** No information available **Autoignition temperature** No information available No information available **Decomposition temperature** Viscosity, kinematic No information available Viscosity, dynamic No information available

Explosive properties No information available **Oxidizing Properties** No information available

9.2 Other information

Volatile organic compounds (VOC) 12 g/L

content

10. Stability and Reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

10.5 Incompatible Materials

None known based on information supplied.

10.6 Hazardous Decomposition Products

None known based on information supplied.

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

Unknown Acute Toxicity < 1% of the mixture consists of ingredient(s) of unknown toxicity

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Tripropylene glycol diacrylate 42978-66-5	3000 mg/kg (Rat)	> 2 g/kg(Rabbit)	-

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information

Causes burns

Component Information

· No information available

Serious eye damage/eye irritation

Product Information

· Risk of serious damage to eyes

Component Information

· No information available

Respiratory or skin sensitization

Product Information

• May cause sensitization of susceptible persons

Component Information

• No information available

Germ cell mutagenicity

Product Information

· No information available

Component Information

• No information available

Carcinogenicity

Product Information

· Contains no ingredient listed as a carcinogen

Component Information

• No information available

Reproductive toxicity

Product Information

No information available

Component Information

· No information available

STOT - single exposure

No information available

STOT - repeated exposure

No information available

Other adverse effects

Product Information

- No information available
- **Component Information**
- · No information available

Aspiration hazard

Product Information

- No information available
- Component Information
- · No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity No information available

< 1 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Ecotoxicity effects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Tripropylene glycol diacrylate 42978-66-5	EC50: 72 h Desmodesmus subspicatus 28 mg/L	-	EC50: 48 h Daphnia magna 88.7 mg/L
Talc 14807-96-6	-	LC50: 96 h Brachydanio rerio 100 g/L semi-static	-

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

Chemical Name	log Pow
Tripropylene glycol diacrylate 42978-66-5	2.77

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1 Waste treatment methods

Dispose of in accordance with federal, state, and local regulations.

14. Transport Information

DOT Not regulated

MEX Not regulated

IMDG Not regulated

IATA Not regulated

15. Regulatory information

15.1 International Inventories

TSCA Complies

DSL **EINECS/ELINCS ENCS IECSC KECL PICCS AICS NZIoC**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

16. Other information

NFPA Health Hazard -Flammability -Instability -Physical and chemical

hazards -

HMIS Health Hazard 2* Flammability 1 **Physical Hazard** 2 Personal protection X

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin decignation (S*)

Skin designation (S*) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) TWA (time-weighted average)

Prepared By DayGlo Color Corp.

Regulatory Affairs/Product Safety

Revision Date 26-Aug-2016

Revision Note

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet