SAFETY DATA SHEET



Revision Date 15-Jan-2021

Version 3.01

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Jazz™ Colors Pantone® 802 Green Base

Product code JZB802

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Ink Base

Restrictions on use No information available

1.3 Details of the supplier of the safety data sheet

Supplier DayGlo Color Corp.

4515 St. Clair Avenue Cleveland, OH 44103 (216) 391-7070

+1 216-391-7070 (outside the US) This telephone number is available during office hours

only.

E-mail Address ehs@dayglo.com

1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA

Chemtrec: 1-800-424-9300 USA

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3 - (H335)

2.2 Label elements

Signal Word

Danger

Hazard Statements

Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
May cause cancer

May cause respiratory irritation



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

Unknown Acute Toxicity

< 1% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients

Substance Mixture

Chemical Name	CAS No.	Weight-%
Tripropylene glycol diacrylate	42978-66-5	20 - 30
Ethoxylated trimethylolpropane triacrylate	28961-43-5	20 - 30
C.I. Pigment Green 7	1328-53-6	5 - 10
Formaldehyde	50-00-0	< 1

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice No information available.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Seek

immediate medical attention/advice.

Skin contact Wash off immediately with soap and plenty of water. Remove all contaminated clothes and

shoes. Call a physician immediately.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None.

5.2 Special hazards arising from the substance or mixture

Special Hazard

None known based on information supplied.

Hazardous Combustion Products Carbon oxides. Nitrogen oxides (NOx).

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas. Use personal protective equipment.

6.2 Environmental precautions

Prevent product from entering drains. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment Dike to collect large liquid spills. Absorb with earth, sand or other non-combustible material

and transfer to containers for later disposal.

Methods for cleaning up Soak up with inert absorbent material. Keep in suitable and closed containers for disposal.

15-Jan-2021 - JZB802 - 3.01 - AGHS - English -

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Prevent contact with skin, eyes and clothing. Wash thoroughly after handling.

Hygiene measures When using, do not eat, drink or smoke. Handle in accordance with good industrial hygiene

and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep at temperatures below 37°C. Protect from light.

Materials to Avoid No materials to be especially mentioned.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
C.I. Pigment Green 7	TWA: 1 mg/m ³ Cu	-				
1328-53-6	dust and mist					
Formaldehyde	Ceiling: 0.3 ppm	TWA: 0.75 ppm	TWA: 0.3 ppm	Ceiling: 1 ppm	Ceiling: 2 ppm	STEL: 1.0 ppm
50-00-0		STEL: 2 ppm see	Ceiling: 1 ppm	Ceiling: 1.3 mg/m ³	Ceiling: 3 mg/m ³	CEV: 1.5 ppm
		29 CFR 1910.1048	Sensitizer	TWA: 0.75 ppm		
				TWA: 0.9 mg/m ³		

8.2 Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear chemical-resistant glasses and/or goggles and a face shield when eye and face

contact is possible due to handling and processing of material.

Skin and body protection Wear chemical resistant footwear and clothing such as gloves, an apron or a whole body

suit as appropriate.

Respiratory protection . NIOSH/MSHA approved respiratory protection should be worn if exposure is anticipated.

Hygiene measures See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid

Appearance Liquid Color Green

Pungent **Odor Threshold** No information available Odor

Property Values Remarks • Methods

No information available pН

No information available Melting/freezing point

Boiling point/boiling range 109 °C / 228 °F

Flash Point 110 °C / 230 °F

Evaporation rate No information available No information available Flammability (solid, gas)

Flammability Limits in Air

No information available upper flammability limit lower flammability limit No information available Vapor pressure No information available

Vapor density No information available

Specific Gravity 1.22

Water solubility Insoluble in water

Solubility in other solvents No information available Partition coefficient No information available Autoignition temperature No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available

Explosive properties No information available **Oxidizing Properties** No information available

9.2 Other information

Volatile organic compounds (VOC) None

content

10. Stability and Reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable

10.3 Possibility of hazardous reactions

Polymerization is a highly exothermic reaction and may generate sufficient heat to cause thermal decomposition and/or rupture containers.

10.4 Conditions to Avoid

Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

10.5 Incompatible Materials

None known based on information supplied.

10.6 Hazardous Decomposition Products

Carbon oxides. Nitrogen oxides (NOx).

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity < 1% of the mixture consists of ingredient(s) of unknown toxicity

LC50 (Dust/Mist) 62.41 mg/l **LC50 (Vapor)** 374.00 mg/l

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Tripropylene glycol diacrylate 42978-66-5	3000 mg/kg (Rat)	> 2 g/kg(Rabbit)	-
C.I. Pigment Green 7 1328-53-6	3000 mg/kg (Rat)	-	-
Formaldehyde 50-00-0	600 mg/kg (Rat)	= 270 mg/kg (Rabbit)	= 0.578 mg/L (Rat) 4 h

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information

Irritating to skin

Component Information

• No information available

Serious eye damage/eye irritation

Product Information

• Causes serious eye damage

Component Information

No information available

Respiratory or skin sensitization

Product Information

· May cause allergic skin reaction

Component Information

No information available

Germ cell mutagenicity

Product Information

• No information available

Component Information

No information available

Carcinogenicity

Product Information

• The table below indicates whether each agency has listed any ingredient as a carcinogen Component Information

• Contains a known or suspected carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
Formaldehyde	A2	Group 1	Known	Group 1
50-00-0		·		

Reproductive toxicity

Product Information

• No information available

Component Information

No information available

STOT - single exposure

No information available

STOT - repeated exposure

No information available

Other adverse effects

Product Information

- · No information available
- Component Information
- No information available

Aspiration hazard

Product Information

- · No information available
- **Component Information**
- No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity

No information available

< 1 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Ecotoxicity effects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Tripropylene glycol diacrylate 42978-66-5	EC50: 72 h Desmodesmus subspicatus 28 mg/L	-	EC50: 48 h Daphnia magna 88.7 mg/L
C.I. Pigment Green 7 1328-53-6	-	LC50: 96 h Lepomis macrochirus 752.4 mg/L static	-
Formaldehyde 50-00-0	-	LC50: 96 h Pimephales promelas 22.6 - 25.7 mg/L flow-through LC50: 96 h Lepomis macrochirus 1510 µg/L static LC50: 96 h Brachydanio rerio 41 mg/L static LC50: 96 h Oncorhynchus mykiss 0.032 - 0.226 mL/L flow-through LC50: 96 h Oncorhynchus mykiss 100 - 136 mg/L static LC50: 96 h Pimephales promelas 23.2 - 29.7 mg/L static	18 mg/L Static

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

Chemical Name	log Pow
Tripropylene glycol diacrylate 42978-66-5	2.77
Formaldehyde 50-00-0	0.35

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1 Waste treatment methods

Dispose of in accordance with federal, state, and local regulations.

14. Transport Information

DOT Not regulated

MEX Not known

IMDG

Proper shipping name UN3082, Environmentally Hazardous Substance, Liquid, n.o.s., (Tripropylene glycol

diacrylate), 9, PGIII

Hazard class 9

UN UN3082 Packing Group PGIII

IATA

UN UN3082

Proper shipping name UN3082, Environmentally Hazardous Substance, Liquid, n.o.s. (Tripropylene glycol

diacrylate), 9, PGIII UN3082, Environmentally Hazardous Substance, Liquid, n.o.s.,

(Tripropylene glycol diacrylate), 9, PGIII

Hazard class 9
Packing Group PGIII

15. Regulatory information

15.1 International Inventories

TSCA Complies

DSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS NZIOC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Formaldehyde - 50-00-0	Carcinogen

16. Other information

NFPA Health Hazard - Flammability - Instability - Physical and chemical

hazards -

HMIS Health Hazard 2* Flammability 1 Physical Hazard 2 Personal protection X

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Prepared By DayGlo Color Corp.

Regulatory Affairs/Product Safety

15-Jan-2021

Revision Date Revision Note

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet